

SAFETY DATA SHEET

1. Identification

Product identifier	Heavy Duty Degreaser II
Other means of identification	
Product code	03121, 03122, 03123
Recommended use	General purpose degreaser
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/I	Distributor information
Manufactured or sold by:	
Company name	CRC Industries, Inc.
Address	885 Louis Dr.
	Warminster, PA 18974 US
Telephone	
General Information	215-674-4300
Technical	800-521-3168
Assistance	
Customer Service	800-272-4620
24-Hour Emergency	800-424-9300 (US)
(CHEMTREC)	703-527-3887 (International)
Website	www.crcindustries.com

2. Hazard(s) identification

()			
Physical hazards	Flammable liquids	Category 4	
Health hazards	Acute toxicity, inhalation	Category 4	
	Skin corrosion/irritation	Category 2	
	Serious eye damage/eye irritation	Category 2A	
	Specific target organ toxicity, single exposure	Category 3 narcotic effects	
	Aspiration hazard	Category 1	
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	Combustible liquid. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. Harmful if inhaled. May cause drowsiness or dizziness.		

Precautionary statement Prevention

Response

Storage

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Avoid breathing mist or vapor. Wash thoroughly after handling. Wear protective gloves/eye protection/face protection.
If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical attention. In case of fire: Do not use water jet as an extinguisher, as this will spread the fire.

Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Hazard(s) not otherwise classified (HNOC)

Supplemental information

10% of the mixture consists of component(s) of unknown acute inhalation toxicity.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), hydrotreated light		64742-47-8	60 - 70
Dipropylene glycol monopropyl ether (dpmp)		29911-27-1	30 - 40
Dipropylene glycol monomethyl ether acetate		88917-22-0	10 - 20

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Remove contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Diarrhea. May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of nose and throat. Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	

Suitable extinguishing media Alcohol resistant foam. Water fog. Dry chemical powder. Dry chemicals. Carbon dioxide (CO2). Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media Specific hazards arising from The product is combustible, and heating may generate vapors which may form explosive vapor/air the chemical mixtures. During fire, gases hazardous to health may be formed. Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn in case of fire. and precautions for firefighters **Fire-fighting** In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do equipment/instructions so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Combustible liquid. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.		
	Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.		
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.		
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent entry into waterways, sewer, basements or confined areas.		
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.		
7. Handling and storage			
Precautions for safe handling	Keep away from open flames, hot surfaces and sources of ignition. When using do not smoke. Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. For product usage instructions, please see the product label.		
Conditions for safe storage, including any incompatibilities	Keep away from heat and sources of ignition. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).		

8. Exposure controls/personal protection

Components	Туре	Value	
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	TWA	100 mg/m3	
Biological limit values	No biological exposure limits noted	for the ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.		
Individual protection measure	s, such as personal protective equip	ment	
Eye/face protection	Wear safety glasses with side shiel		
Skin protection			
Hand protection	Wear protective gloves such as: Ni	trile. Neoprene.	
Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	NIOSH-approved cartridge respirat	ble or if exposure exceeds the applicable exposure limits, use or with an organic vapor cartridge. Use a self-contained aces and for emergencies. Air monitoring is needed to re levels.	
Thermal hazards	Wear appropriate thermal protective	e clothing, when necessary.	
General hygiene considerations		observe good personal hygiene measures, such as washing ore eating, drinking, and/or smoking. Routinely wash work o remove contaminants.	

9. Physical and chemical properties

Appearance

Appoulation	
Physical state	Liquid.
Form	Liquid.
Color	Clear. Water-white.
Odor	Slight. Hydrocarbon-like.

Odor threshold	Not available.			
рН	Not available.			
Melting point/freezing point	-121 °F (-85 °C) estimated			
Initial boiling point and boiling range	392 °F (200 °C) estimated			
Flash point	185 °F (85 °C) Tag Closed Cup			
Evaporation rate	Slow			
Flammability (solid, gas)	Not available.			
Upper/lower flammability or exp	plosive limits			
Flammability limit - lower (%)	0.6 % estimated			
Flammability limit - upper (%)	5.5 % estimated			
Vapor pressure	3.1 hPa estimated			
Vapor density	> 1 (air = 1)			
Relative density	0.84			
Solubility (water)	Slightly soluble.			
Partition coefficient (n-octanol/water)	Not available.			
Auto-ignition temperature	401 °F (205 °C) estimated			
Decomposition temperature	Not available.			
Viscosity (kinematic)	Not available.			
Percent volatile	100 % estimated			

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of	exposure			
Inhalation	Harmful if inhaled. May cause drowsiness and dizziness. Headache. Nausea, vomiting.			
Skin contact	Causes skin irritation.			
Eye contact	Causes serious eye irritation.			
Ingestion	Droplets of the product aspira chemical pneumonia.	ted into the lungs through ingestion or vomiting may cause a serious		
Symptoms related to the physical, chemical and toxicological characteristics	Diarrhea. May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of nose and throat. Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.			
Information on toxicological ef	fects			
Acute toxicity	May be fatal if swallowed and	enters airways. Harmful if inhaled. Narcotic effects.		
Product	Species	Test Results		
Heavy Duty Degreaser II				
Acute				
Dermal				

> 2000 mg/kg

Rabbit

LD50

Rat	7	7.5228 mg/l, 4 hours estimated
Rat 2941.1765 mg/kg estimated		
e based on a	additional component data not shown.	
Causes sk	in irritation.	
Causes se	rious eye irritation.	
Not availat	ble.	
This produ	ct is not expected to cause skin sensitization	
		s present at greater than 0.1% are
This produ	ct is not considered to be a carcinogen by IA	RC, ACGIH, NTP, or OSHA.
This produ	ct is not expected to cause reproductive or de	evelopmental effects.
May cause drowsiness and dizziness.		
Not classified.		
May be fatal if swallowed and enters airways. If aspirated into lungs during swallowing or vomiting may cause chemical pneumonia, pulmonary injury or death.		
Prolonged inhalation may be harmful.		
า		
The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment		
	Species	Test Results
EC50	Daphnia	333.3333 mg/l, 48 hours estimated
LC50	Fish	3.6168 mg/l, 96 hours estimated
	Species	Test Results
yl ether acet	ate (CAS 88917-22-0)	
LC50	Water flea (Daphnia magna)	2701 mg/l, 48 hours
LC50	Fathead minnow (Pimephales promelas) 151 mg/l, 96 hours
	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	111 mg/l, 96 hours
	e based on a Causes sk Causes se Not availat This produ No data av mutagenic This produ May cause Not classif May be fat may cause Prolonged The produc possibility EC50 LC50	e based on additional component data not shown. Causes skin irritation. Causes serious eye irritation. Not available. This product is not expected to cause skin sensitization. No data available to indicate product or any component mutagenic or genotoxic. This product is not considered to be a carcinogen by IAI This product is not expected to cause reproductive or do May cause drowsiness and dizziness. Not classified. May be fatal if swallowed and enters airways. If aspirate may cause chemical pneumonia, pulmonary injury or de Prolonged inhalation may be harmful. The product is not classified as environmentally hazardor possibility that large or frequent spills can have a harmfor Species EC50 Daphnia LC50 Fish Species yl ether acetate (CAS 88917-22-0) LC50 Water flea (Daphnia magna) LC50 Fathead minnow (Pimephales promelas Rainbow trout,donaldson trout

Acute			
Crustacea	EC50	Water flea (Daphnia magna)	> 100 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	> 100 mg/l, 96 hours
)istillates (netroleum)	hydrotreated light	(CAS 64742-47-8)	

Distillates (petroleum), hydrotreated light (CAS 64742-47-8)

Aquatic			
Acute			
Fish	LC50	Bluegill (Lepomis macrochirus)	2.2 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown. **Persistence and degradability** No data is available on the degradability of this product.

Bioaccumulative potential	No data available.		
Partition coefficient n-oct	anol / water (log Kow)		
Dipropylene glycol monomethyl ether acetate		0.61 OECD 107	
Dipropylene glycol monopro	opyl ether (dpmp)	0.87 OECD 107	
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal considerat	ions		
Disposal of waste from	This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty		

residues / unused products	containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.
Hazardous waste code	Not regulated.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Not regulated.	Notification (40 CFR 707, Subpt. D)
SARA 304 Emergency relea	ase notification
Not regulated.	
US. OSHA Specifically Reg	ulated Substances (29 CFR 1910.1001-1050)
Not listed.	
US EPCRA (SARA Title III)	Section 313 - Toxic Chemical: Listed substance
Not listed.	
CERCLA Hazardous Subst	ance List (40 CFR 302.4)
Not listed.	
CERCLA Hazardous Subst	ances: Reportable quantity
Not listed.	
	ng in the loss of any ingredient at or above its RQ require immediate notification to the National 124-8802) and to your Local Emergency Planning Committee.
Clean Air Act (CAA) Sectio	n 112 Hazardous Air Pollutants (HAPs) List
Not regulated.	
Clean Air Act (CAA) Sectio	n 112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.
Food and Drug Administration (FDA)	Not regulated.
Superfund Amendments ar	nd Reauthorization Act of 1986 (SARA)
Section 311/312	Immediate Hazard - Yes
Hazard categories	Delayed Hazard - No
	Fire Hazard - Yes Pressure Hazard - No
	Reactivity Hazard - No
	····· · · · · · · · · · · · · · · · ·

SARA 302 Extremely No hazardous substance

US state regulations

- US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed
- US. New Jersey Worker and Community Right-to-Know Act

Distillates (petroleum), hydrotreated light (CAS 64742-47-8)

US. Massachusetts RTK - Substance List

None.

US. Pennsylvania Worker and Community Right-to-Know Law

Distillates (petroleum), hydrotreated light (CAS 64742-47-8)

US. Rhode Island RTK

None.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Volatile organic compounds (VOC) regulations

EPA VOC content (40 CFR 100 % 51.100(s)) Not regulated **Consumer products** (40 CFR 59, Subpt. C) State This product is regulated as a General Purpose Degreaser (non-aerosol). This product is **Consumer products** compliant for use in all 50 states. 0 % VOC content (CA) 0 % VOC content (OTC) International Inventories Country(s) or region On inventory (yes/no)* Inventory name Australia Australian Inventory of Chemical Substances (AICS) Yes Canada Domestic Substances List (DSL) Yes Canada Non-Domestic Substances List (NDSL) No China Inventory of Existing Chemical Substances in China (IECSC) Yes European Inventory of Existing Commercial Chemical Europe No Substances (EINECS) European List of Notified Chemical Substances (ELINCS) Europe Yes Japan Inventory of Existing and New Chemical Substances (ENCS) No Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes Philippines Philippine Inventory of Chemicals and Chemical Substances Yes (PICCS) Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	08-08-2014
Prepared by	Allison Cho
Version #	01
Further information	CRC # 490C
HMIS® ratings	Health: 2 Flammability: 2 Physical hazard: 0 Personal protection: B

NFPA ratings





Disclaimer

CRC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries.