

SAFETY DATA SHEET

1. Identification

Product identifier	HydroForce® Industrial Strength Degreaser
Other means of identification	
Product code	14416, 14417, 14418, 14420
Recommended use	General purpose degreaser
Recommended restrictions	None known.
Manufacturer/Importer/Supplie	r/Distributor information
Manufactured or sold by:	
Company name	CRC Industries, Inc.
Address	885 Louis Dr.
	Warminster, PA 18974 US
Telephone	
General Information	215-674-4300
Technical	800-521-3168
Assistance	
Customer Service	800-272-4620
24-Hour Emergency	800-424-9300 (US)
(CHEMTREC)	703-527-3887 (International)
Website	www.crcindustries.com

2. Hazard(s) identification

Physical hazards	Corrosive to metals	Category 1
Health hazards	Acute toxicity, inhalation	Category 4
	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 3
OSHA defined hazards	Not classified.	
Label elements		
	<u>₩</u>	
Signal word Hazard statement		kin burns and eye damage. Harmful if inhaled. Toxic
Hazard statement	0	
Hazard statement Precautionary statement	May be corrosive to metals. Causes severe sk to aquatic life. Harmful to aquatic life with long	lasting effects.
Hazard statement	May be corrosive to metals. Causes severe sk to aquatic life. Harmful to aquatic life with long Do not breathe vapor. Use with adequate vent means to ensure a fresh air supply during use symptoms listed on this label, increase ventila	l lasting effects. tilation. Open doors and windows or use other and while product is drying. If you experience any
Hazard statement Precautionary statement	May be corrosive to metals. Causes severe sk to aquatic life. Harmful to aquatic life with long Do not breathe vapor. Use with adequate vent means to ensure a fresh air supply during use symptoms listed on this label, increase ventila handling. Wear protective gloves/protective clu to the environment. If swallowed: Rinse mouth. Do NOT induce vo contaminated clothing. Rinse skin with water/s keep comfortable for breathing. If in eyes: Rinse	a lasting effects. tilation. Open doors and windows or use other and while product is drying. If you experience any tion or leave the area. Wash thoroughly after othing/eye protection/face protection. Avoid release omiting. If on skin (or hair): Take off immediately all shower. If inhaled: Remove person to fresh air and se cautiously with water for several minutes. o do. Continue rinsing. Wash contaminated clothing
Hazard statement Precautionary statement Prevention	May be corrosive to metals. Causes severe sk to aquatic life. Harmful to aquatic life with long Do not breathe vapor. Use with adequate vent means to ensure a fresh air supply during use symptoms listed on this label, increase ventila handling. Wear protective gloves/protective clu to the environment. If swallowed: Rinse mouth. Do NOT induce vo contaminated clothing. Rinse skin with water/s keep comfortable for breathing. If in eyes: Rins Remove contact lenses, if present and easy to	tilation. Open doors and windows or use other and while product is drying. If you experience any tion or leave the area. Wash thoroughly after othing/eye protection/face protection. Avoid release omiting. If on skin (or hair): Take off immediately all shower. If inhaled: Remove person to fresh air and se cautiously with water for several minutes. o do. Continue rinsing. Wash contaminated clothing rial damage.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Water		7732-18-5	70 - 80
Tripropyleneglycol methyl ether		25498-49-1	3 - 5
Alcohols, C12-15, Ethoxylated		68131-39-5	1 - 3
Dioctyl sodium sulfosuccinate		577-11-7	1 - 3
Dipropylene glycol monomethyl ether		34590-94-8	1 - 3
Potassium hydroxide		1310-58-3	1 - 3
Propylene glycol		57-55-6	1 - 3
Sodium metasilicate		6834-92-0	1 - 3
Tetrasodium ethylenediaminetetraacetate		64-02-8	1 - 3
Vanilla fragrances		Proprietary	< 1
d-Limonene		5989-27-5	< 0.2
Terpinolene		586-62-9	< 0.2

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures		
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell.	
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.	
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.	
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.	
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.	
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.	
5. Fire-fighting measures		
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.	

6. Accidental release measures

U. Accidental release mea	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not breathe vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.
7. Handling and storage	
Precautions for safe handling	Do not breathe vapor. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices. Use care in handling/storage. For product usage instructions, please see the product label.

Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). including any incompatibilities

Conditions for safe storage,

8. Exposure controls/personal protection

US. OSHA Table Z-1 Limits for Air Components	Туре	Value	
Dipropylene glycol monomethyl ether (CAS 34590-94-8)	PEL	600 mg/m3	
,		100 ppm	
US. ACGIH Threshold Limit Values	5		
Components	Туре	Value	
Dipropylene glycol monomethyl ether (CAS 34590-94-8)	STEL	150 ppm	
·	TWA	100 ppm	
Potassium hydroxide (CAS 1310-58-3)	Ceiling	2 mg/m3	
US. NIOSH: Pocket Guide to Chem	nical Hazards		
Components	Туре	Value	
Dipropylene glycol monomethyl ether (CAS 34590-94-8)	STEL	900 mg/m3	
·		150 ppm	
	TWA	600 mg/m3	
		100 ppm	
Potassium hydroxide (CAS 1310-58-3)	TWA	2 mg/m3	
US. AIHA Workplace Environment	al Exposure Level (WEEL) Guides	6	
Components	Туре	Value	Form
d-Limonene (CAS 5989-27-5)	TWA	165.5 mg/m3	
,		30 ppm	

Components	Туре		Value	Form
Propylene glycol (CAS 57-55-6)	TWA		10 mg/m3	Aerosol.
ological limit values	No biological exposure limits n	oted for the ingredie	nt(s).	
posure guidelines				
US - California OELs: Skin	designation			
Dipropylene glycol mon US - Tennessee OELs: Ski	omethyl ether (CAS 34590-94-8) n designation	Can be absorbed th	rough the skin.	
Dipropylene glycol mon US ACGIH Threshold Limit	omethyl ether (CAS 34590-94-8) t Values: Skin designation	Can be absorbed th	rough the skin.	
	omethyl ether (CAS 34590-94-8) • Chemical Hazards: Skin desig	Can be absorbed th nation	rough the skin.	
	omethyl ether (CAS 34590-94-8) s for Air Contaminants (29 CFR		rough the skin.	
Dipropylene glycol mon	omethyl ether (CAS 34590-94-8)	Can be absorbed th	rough the skin.	
ppropriate engineering ntrols	Good general ventilation (typic should be matched to condition or other engineering controls to exposure limits have not been wash facilities and emergency	ns. If applicable, use o maintain airborne le established, maintair	process enclosu evels below reco n airborne levels	res, local exhaust ventilation, mmended exposure limits. If to an acceptable level. Eye
dividual protection measures	s, such as personal protective e	quipment		
Eye/face protection	Wear safety glasses with side	shields (or goggles).		
Skin protection				
Hand protection	Wear protective gloves such a	s: Nitrile. Rubber.		
Other	Wear appropriate chemical resistant clothing.			
Respiratory protection	If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.			
Thermal hazards	Wear appropriate thermal prot	ective clothing, when	necessary.	
eneral hygiene nsiderations	Always observe good persona and before eating, drinking, an equipment to remove contamir	d/or smoking. Routi	such as washing nely wash work o	after handling the material clothing and protective

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Red.
Odor	Pleasant.
Odor threshold	Not available.
рН	13.1
Melting point/freezing point	-112 °F (-80 °C) estimated
Initial boiling point and boiling range	212 °F (100 °C) estimated
Flash point	None (Tag Closed Cup)
Evaporation rate	Slow.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	1.1 % estimated
Flammability limit - upper (%)	36 % estimated
Vapor pressure	19.5 hPa estimated

Vapor density	Not available.
Relative density	1.09
Solubility (water)	Soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	404.6 °F (207 °C) estimated
Decomposition temperature	Not available.
Viscosity (kinematic)	Not available.
Percent volatile	81.1 % estimated

10. Stability and reactivity

Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents. May be corrosive to metals.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Do not mix with other chemicals. Contact with incompatible materials.
Incompatible materials	Acids. Strong oxidizing agents. Oxidizing agents. Metals.
Hazardous decomposition products	Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

······································	
Ingestion	Causes digestive tract burns.
Inhalation	Harmful if inhaled.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity	Harmful if inhaled.	
Product	Species	Test Results
HydroForce® Industrial Strength	Degreaser	
Acute		
Dermal		
LD50	Rabbit	2113.2 mg/kg calculated
Inhalation		
LC50	Rat	17.7 mg/l, 4 hours calculated
Oral		
LD50	Rat	4602.4 mg/kg calculated
* Estimates for product may b	be based on additional component data not sho	wn.
Skin corrosion/irritation	Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory sensitization	Not available.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Respiratory or skin sensitizatio	n	
Sensitization		
Vanilla fragrances	0, Skin	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
Material name: HydroForce® Industri	al Strength Degreaser	SDS U

IARC Monographs. Overall Evaluation of Carcinogenicity			
d-Limonene (CAS 5989-27-5)		3 Not classifiable as to carcinogenicity to humans.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Based on available data, the classification criteria are not met.		
Chronic effects	Prolonged exposure may cause chronic effects.		

12. Ecological information

Ecotoxicity Toxic to aquatic life. Harmful to aquatic			ng effects.
Product		Species	Test Results
HydroForce® Industrial	Strength Degreas	ser	
Aquatic			
Acute			
Crustacea	EC50	Daphnia	22.6045 mg/l, 48 hours estimated
Fish	LC50	Fish	126.6752 mg/l, 96 hours estimated
Components		Species	Test Results
Alcohols, C12-15, Ethox	ylated (CAS 6813	31-39-5)	
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	0.4 - 0.75 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	2.7 mg/l, 96 hours
Dioctyl sodium sulfosuce	cinate (CAS 577- ⁻	11-7)	
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	20 - 40 mg/l, 96 hours
Dipropylene glycol mono	omethyl ether (CA	NS 34590-94-8)	
Aquatic			
Acute			
Crustacea	EC50	Daphnia	> 5000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	10000 mg/l, 96 hours
d-Limonene (CAS 5989-	-27-5)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	69.6 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	0.619 - 0.796 mg/l, 96 hours
Potassium hydroxide (C	AS 1310-58-3)		
Aquatic			
Fish	LC50	Western mosquitofish (Gambusia affinis)	80 mg/l, 96 hours
Propylene glycol (CAS 5	57-55-6)		
Aquatic			
Fish	LC50	Fathead minnow (Pimephales promelas)	710 mg/l, 96 hours
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	4850 - 34000 mg/l, 48 hours
Sodium metasilicate (CA	AS 6834-92-0)		
Aquatic			
-	EC50	Water flea (Ceriodaphnia dubia)	0.28 - 0.57 mg/l, 48 hours
Crustacea	EC30	water nea (Cenouaprinia uubia)	0.20 - 0.37 mg/l, 40 mours

Components		Species	Test Results
Tetrasodium ethylenediamir	netetraacetate (CAS 64-02-8)	
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	472 - 500 mg/l, 96 hours
Tripropyleneglycol methyl et	her (CAS 2549	8-49-1)	
Aquatic			
Acute			
Crustacea	LC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	11619 mg/l, 96 hours
* Estimates for product may	be based on a	dditional component data not shown.	
rsistence and degradability	No data is a	available on the degradability of this product.	
paccumulative potential	No data ava	ailable.	
Partition coefficient n-octa	anol / water (lo	g Kow)	
d-Limonene		4.232	
Propylene glycol		-0.92	
Terpinolene		4.23	
Tripropyleneglycol methyl et	her	-0.2	
bility in soil	No data ava	ailable.	
her adverse effects		lverse environmental effects (e.g. ozone dep ndocrine disruption, global warming potential	· •

13. Disposal considerations

Disposal of waste from residues / unused products	If discarded, this product is considered a RCRA corrosive waste, D002. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose in accordance with all applicable regulations.	
Hazardous waste code	D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]	
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.	

14. Transport information

DOT	
UN number	UN1760
UN proper shipping name	Corrosive liquids, n.o.s. (Potassium hydroxide RQ = 83333 LBS, Sodium metasilicate)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	11
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	B2, IB2, T11, TP2, TP27
Packaging exceptions	154
Packaging non bulk	202
Packaging bulk	242
ΙΑΤΑ	
UN number	UN1760
UN proper shipping name	Corrosive liquids, n.o.s. (Potassium hydroxide, Sodium metasilicate)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	1
Environmental hazards	No.
ERG Code	8L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed.

	Cargo aircraft only	Allowed.		
IMDG				
	number	UN1760		
	proper shipping name nsport hazard class(es)	CORROSIVE LIQUID, N.O.S. (Potassium hydroxide, Sodium metasilicate)		
IIa	Class	8		
	Subsidiary risk	-		
Pac	king group	II		
	vironmental hazards			
	Marine pollutant	No.		
Em	-	F-A, S-B		
Spe	ecial precautions for user	Read safety instructions, SDS and emergency procedures before handling.		
15. Re	egulatory information	1		
US fede	eral regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.		
TSC	CA Section 12(b) Export N	lotification (40 CFR 707, Subpt. D)		
	Not regulated.			
SAF	RA 304 Emergency releas	e notification		
	Not regulated.			
US.		lated Substances (29 CFR 1910.1001-1050)		
US	Not listed. EPCRA (SARA Title III) S	ection 313 - Toxic Chemical: Listed substance		
	Not listed.			
CEF	RCLA Hazardous Substa			
CEF	Potassium hydroxide (CAS 1310-58-3) CERCLA Hazardous Substances: Reportable quantity			
	Potassium hydroxide (CAS 1310-58-3) 1000 LBS			
	Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.			
Clea	Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List			
Not regulated.				
Clea	Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)			
	Not regulated.			
	e Drinking Water Act WA)	Not regulated.		
	od and Drug	Not regulated.		
	ministration (FDA)			
Sup		I Reauthorization Act of 1986 (SARA)		
	Section 311/312	Immediate Hazard - Yes		
	Hazard categories	Delayed Hazard - No Fire Hazard - No		
		Pressure Hazard - No		
		Reactivity Hazard - No		
	SARA 302 Extremely hazardous substance	No		
US state	e regulations			
US.	California Controlled Su	bstances. CA Department of Justice (California Health and Safety Code Section 11100)		
	Not listed.			
US.		Community Right-to-Know Act		
	Dipropylene glycol monomethyl ether (CAS 34590-94-8)			
	Potassium hydroxide (CAS			
	Propylene glycol (CAS 57-55-6) Terpinolene (CAS 586-62-9)			
US. Massachusetts RTK - Substance List				
	Dipropylene glycol monomethyl ether (CAS 34590-94-8)			

Potassium hydroxide (CA	S 1310-58-3) d Community Right-to-Know Law			
Potassium hydroxide (CA Dipropylene glycol monor Propylene glycol (CAS 57	S 1310-58-3) nethyl ether (CAS 34590-94-8)			
US. Rhode Island RTK				
	Potassium hydroxide (CAS 1310-58-3)			
US. California Proposition 6 WARNING: This product of reproductive harm.	5 contains a chemical known to the State of California to cause cancer and bir	th defects or other		
US - California Proposit	on 65 - CRT: Listed date/Carcinogenic substance			
Formaldehyde (CAS US - California Propositi	50-00-0) Listed: January 1, 1988 on 65 - CRT: Listed date/Developmental toxin			
Methanol (CAS 67-56	E-1) Listed: March 16, 2012			
Volatile organic compounds (VO EPA	C) regulations			
VOC content (40 CFR 51.100(s))	0.8 % (at minimum dilution)			
	8.2 % (concentrate)			
Consumer products (40 CFR 59, Subpt. C)	Not regulated			
State				
Consumer products	This product is regulated as a General Purpose Degreaser (non-aerosol). compliant for use in all 50 states.	This product is		
VOC content (CA)	4 % (concentrate) 0.4 % (at minimum dilution)			
VOC content (OTC)	4 % (concentrate) 0.4 % (at minimum dilution)			
International Inventories				
Country(s) or region	Inventory name	On inventory (yes/no)*		
Australia	Australian Inventory of Chemical Substances (AICS)	No		
Canada	Domestic Substances List (DSL)	No		
Canada	Non-Domestic Substances List (NDSL)	No		
China	Inventory of Existing Chemical Substances in China (IECSC)	No		
Europe				
Europe	European List of Notified Chemical Substances (ELINCS)	No		
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No		
Korea	Existing Chemicals List (ECL)	No		
New Zealand	New Zealand Inventory	No		
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No		
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes		
	ents of this product comply with the inventory requirements administered by the gove components of the product are not listed or exempt from listing on the inventory adm	0 ,()		

16. Other information, including date of preparation or last revision

Issue date	02-02-2015
Prepared by	Allison Cho
Version #	01
Further information	CRC # 433E
HMIS® ratings	Health: 3 Flammability: 0 Physical hazard: 1 Personal protection: B

NFPA ratings





Disclaimer

CRC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries.