# CRC MATERIAL SAFETY DATA SHEET

# Section 1: Product & Company Identification

Product Name: Multi-Purpose Food Grade Grease

Product Number (s): SL35600, SL35605, SL35607, SL35609

Product Use: Lubricating grease

## Manufacturer / Supplier Contact Information:

In United States: CRC Industries, Inc. 885 Louis Drive Warminster, PA 18974 <u>www.crcindustries.com</u> 1-215-674-4300(General) (800) 521-3168 (Technical) (800) 272-4620 (Customer Service) In Canada: CRC Canada Co. 2-1246 Lorimar Drive Mississauga, Ontario L5S 1R2 <u>www.crc-canada.ca</u> 1-905-670-2291 In Mexico: CRC Industries Mexico Av. Benito Juárez 4055 G Colonia Orquídea San Luís Potosí, SLP CP 78394 www.crc-mexico.com 52-444-824-1666

24-Hr Emergency - CHEMTREC: (800) 424-9300 or (703) 527-3887

## Section 2: Hazards Identification

## Emergency Overview

As defined by OSHA's Hazard Communication Standard, this product is nonhazardous. Appearance & Odor: White semi-solid to solid grease with a faint petroleum odor

## Potential Health Effects:

ACUTE EFFECTS:

EYE: May cause irritation.

SKIN: Repeated or prolonged contact can result in drying of the skin.

- INHALATION: Heating can generate vapors that may cause respiratory irritation, nausea and headaches. Inhalation hazard at room temperature is unlikely due to the low volatility of this product.
- INGESTION: Can cause stomach ache and vomiting. Main hazard, if ingested, is aspiration into the lungs and subsequent pneumonitis.

CHRONIC EFFECTS: Unknown

TARGET ORGANS: None known

Medical Conditions Aggravated by Exposure: skin or respiratory conditions

See Section 11 for toxicology and carcinogenicity information on product ingredients.

## Section 3: Composition/Information on Ingredients

COMPONENT	CAS NUMBER	% by Wt.
White mineral oil	8042-47-5	50 - 80
Zinc oxide	1314-13-2	7 – 13
Polybutenes	9003-29-6	7 – 13
Aluminum complex thickener	proprietary	3 – 13
Calcium carbonate	471-34-1	3 - 10

## Section 4: First Aid Measures

Eye Contact: Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.

- Skin Contact: Remove contaminated clothing and wash affected area with soap and water. Call a physician if irritation persists. Wash contaminated clothing prior to re-use.
- Inhalation: Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Call a physician.
- Ingestion: Do not induce vomiting. Seek medical attention.

Note to Physicians: Treat symptomatically.

# **Section 5: Fire-Fighting Measures**

Flammable Properties: Th	is product is nonflammable.		
Flash Point: Autoignition Temperature:		Upper Explosive Limit: Lower Explosive Limit:	

## Fire and Explosion Data:

Suitable Extinguishing Media: CO<sub>2</sub>, dry chemical, sand, dolomite, alcohol resistant foam, water spray
Products of Combustion: Oxides of carbon, acrid smoke/fumes
Explosion Hazards: Containers, when exposed to heat from fire, may build pressure and rupture.
Protection of Fire-Fighters: Firefighters should wear self-contained, NIOSH-approved breathing apparatus for protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed containers cool and to knock down vapors which may result from product decomposition. Avoid water in straight hose stream as it will scatter and spread fire.

# Section 6: Accidental Release Measures

Personal Precautions: Use personal protection recommended in Section 8. Minimize skin contact.

Environmental Precautions: Take precautions to prevent contamination of ground and surface waters. Do not flush into sewers or storm drains. Advise authorities if product has entered waterways.

Methods for Containment & Clean-up: Dike area to contain spill. Ventilate the area with fresh air. If in confined space or limited air circulation area, clean-up workers should wear appropriate respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents into proper waste containers.

# Section 7: Handling and Storage

Handling Procedures:	Keep container away from heat, sparks, and open flame. High temperatures may produce
	irritating vapors. Eye wash station should be available at work place. Keep containers closed
	when not in use. Ventilate well, especially in warmer environments. For product use
	instructions, please see the product label.

Storage Procedures: Store in a cool dry area out of direct sunlight. Containers should be tightly closed while in storage. Store separated from acids and oxidizing materials. Store away from sparks and open flame.

Aerosol Storage Level: NA

# Section 8: Exposure Controls/Personal Protection

#### Exposure Guidelines:

	OS	SHA	AC	GIH	0	THER	
COMPONENT	TWA	STEL	TWA	STEL	TWA	SOURCE	UNIT
White mineral oil	5*	NE	5*	10*	NE		mg/m <sup>3</sup>
	-		-				-
Zinc oxide	5	NE	2	10	NE		mg/m <sup>3</sup>
Polybutenes	NE	NE	NE	NE	NE		
Aluminum complex thickener	NE	NE	NE	NE	NE		
Calcium carbonate	5	NE	10	NE	NE		mg/m <sup>3</sup>
N.E. – Not Established	(c) – ce	eiling (s	) – skin	(v) – va	cated	* – oil mist	

## **Controls and Protection:**

Engineering Controls:	Area should have ventilation to provide fresh air. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at the source, preventing dispersion into the general work area. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA regulations.
Respiratory Protection:	None required for normal work where adequate ventilation is provided. Use NIOSH-approved self-contained breathing apparatus in confined spaces and for emergencies.
Eye/face Protection:	For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.
Skin Protection:	Use protective gloves such as latex or nitrile. Also, use full protective clothing if there is prolonged or repeated contact of liquid with skin.

# Section 9: Physical and Chemical Properties

Odor: mild petro	leum					
Odor Threshold:	ND					
Specific Gravity:	0.89 @ 68°F					
Initial Boiling Point:	ND					
Freezing Point:	ND					
Vapor Pressure:	< 0.1 mmHg @	2 68°F				
Vapor Density:	> 0.5 (	(air = 1)				
Evaporation Rate:	slow					
Solubility: insolul	ole in water					
Coefficient of water/c	il distribution:	ND				
pH: NA						
Volatile Organic Com	npounds: <u>wt</u>	<u>%</u> : 0.3	<u>g/L</u> :	2.67	<u>lbs./gal:</u>	0.022

# Section 10: Stability and Reactivity

Stability: Stable

Conditions to Avoid: None

Incompatible Materials: Avoid contact with acids and oxidizing substances

Hazardous Decomposition Products: Oxides of carbon

Possibility of Hazardous Reactions: No

# Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

## Acute Toxicity:

<u>Component</u>	Oral LD50 (rat)	Dermal LD50 (rabbit)	Inhalation LC50 (rat)
White mineral oil	> 5 g/kg	> 2 g/kg	> 5 mg/L
Zinc oxide	No data	No data	No data
Polybutenes	No data	No data	No data
Aluminum complex thickener	No data	No data	No data
Calcium carbonate	6450 mg/kg	No data	No data

## Chronic Toxicity:

	OSHA	IARC	NTP		
Component	Carcinogen	Carcinogen	<u>Carcinogen</u>	Irritant	<u>Sensitizer</u>
White mineral oil	No	No	No	No	Unknown
Zinc oxide	No	No	No	R (mild)	Unknown
Polybutenes	No	No	No	E (mild)	Unknown
Aluminum complex thickener	No	No	No	Unknown	Unknown
Calcium carbonate	No	No	No	No	Unknown

E – Eye S – Skin R - Respiratory

No informa
No informa
No informa
No informa
Naphtheni

No information available No information available No information available No information available Naphthenic distillates:

Base oils of this product contain < 3% DMSO Extractable total polycyclic aromatic compound (PAC) per IP 346.

## Section 12: Ecological Information

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity:	No information	available
Persistence / Degr	adability:	No information available
Bioaccumulation / Accumulation:		No information available
Mobility in Environ	ment:	No information available

# **Section 13: Disposal Considerations**

Waste Classification: This product is not a RCRA hazardous waste. (See 40 CFR Part 261.20 – 261.33)

All disposal activities must comply with federal, state, provincial and local regulations. Local regulations may be more stringent than state, provincial or national requirements.

# Section 14: Transport Information

US DOT (ground): Not Regulated

ICAO/IATA (air): Not Regulated

IMO/IMDG (water): Not Regulated

Special Provisions: None

# Section 15: Regulatory Information

## U.S. Federal Regulations:

<u>Toxic Substances Control Act (TSCA)</u>: All ingredients are either listed on the TSCA inventory or are exempt.

<u>Comprehensive Environmental Response, Compensation and Liability Act (CERCLA)</u>: Reportable Quantities (RQ's) exist for the following ingredients: None

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Superfund Amendments Reauthorization Act (SARA) Title III: Section 302 Extremely Hazardous Substances (EHS): None

Section 311/312 Hazard Categories:	Fire Hazard	No
C C	Reactive Hazard	No
	Release of Pressure	No
	Acute Health Hazard	No
	Chronic Health Hazard	No

Section 313 Toxic Chemicals: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: Zinc compounds (< 13%)

Clean Air Act:

Section 112 Hazardous Air Pollutants (HAPs): None

## U.S. State Regulations:

California Safe Drinking Water and Toxic Enforcement Act (Prop 65): This product may contain the following chemicals known to the state of California to cause cancer, birth defects or other reproductive harm:

None

<u>Consumer Products VOC Regulations</u>: This product is not regulated

#### State Right to Know:

New Jersey:	1314-13-2
Pennsylvania:	1314-13-2
Massachusetts:	1314-13-2
Rhode Island :	1314-13-2

#### **Canadian Regulations:**

Controlled Products Regulations:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Hazard Class: Not regulated

<u>Canadian DSL Inventory</u>: All ingredients are either listed on the DSL Inventory or are exempt.

#### **European Union Regulations:**

<u>RoHS Compliance</u>: This product is compliant with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003. This product does not contain any of the restricted substances as listed in Article 4(1) of the RoHS Directive.

Additional Regulatory Information: None

## Section 16: Other Information

HMIS® (II)		] NFPA
Health:	1	
Flammability:	1	
Reactivity:	0	
PPE:	В	
	_	) 0 4 (severe hazard)

Prepared By:Michelle RudnickCRC #:2992XWRevision Date:12/06/2012

Changes since last revision: Section 16: NFPA

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this MSDS consult your supervisor, a health & safety professional, or CRC Industries.

- ACGIH: American Conference of Governmental Industrial Hygienists
- CAS: Chemical Abstract Service
- CFR: Code of Federal Regulations
- DOT: Department of Transportation
- DSL: Domestic Substance List
- g/L: grams per Liter
- HMIS: Hazardous Materials Identification System
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- ICAO: International Civil Aviation Organization
- IMDG: International Maritime Dangerous Goods
- IMO: International Maritime Organization
- lbs./gal: pounds per gallon
- LC: Lethal Concentration
- LD: Lethal Dose

NA: Not Applicable ND: Not Determined NIOSH: National Institute of Occupational Safety & Health NFPA: National Fire Protection Association National Toxicology Program NTP: OSHA: Occupational Safety and Health Administration PMCC: Pensky-Martens Closed Cup PPE: Personal Protection Equipment Parts per Million ppm: **Restriction of Hazardous Substances** RoHS: STEL: Short Term Exposure Limit TCC: Tag Closed Cup TWA: Time Weighted Average WHMIS: Workplace Hazardous Materials Information System

Page 7 of 7