



SAFETY DATA SHEET

Prepared in accordance with OSHA HCS 2012

Revision Date: 8/15/2013 SDS No.: ND2054 Version: 3.1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: 111 Low Strength Threadlocker

Synonyms: 111

Use of the Substance/Preparation: Thread locking and sealing

Supplier:

ND Industries, Inc. 1893 Barrett Road Troy, Michigan 48084 Tel: (248) 288-0000 Fax: 248) 288-0022 E-mail: <u>info@ndindustries.com</u> Website: www.ndindustries.com

Emergency Telephone Number:

24 hr. EMERGENCY CHEMTREC 1-800-424-9300 24 hr. CHEMTREC INTERNATIONAL +1-703-527-3887

2. HAZARDS IDENTIFICATION

Classification of Chemical in Accordance 29 CFR 1910.1200

Classification of Mixture OSHA HCS 2012:

Irritant, Skin (Category 2) Irritant, Skin (Category 2)

GHS Classification:

Irritant, Skin (Category 2) Irritant, Eye (Category 2)

OSHA HCS 2012 / GHS Label Elements, including precautionary statements

Pictogram:



Signal word:

Hazard Statement(s)

H315 - Causes skin irritation H320 - Causes eye irritation

Precautionary Statement(s)

P264 - Wash face, hands and any exposed skin thoroughly after handling. P280 - Wear protective gloves, clothing, eye protection or face protection. ND Industries, Inc. Product Name: 111 Low Strength Treadlocker Product Code: 111

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	EINECS Number	Weight %	EU Classification
Polyglycol Dimethacrylate	25852-47-5	n/a	50-60	None
Polyethylene glycol ester	18268-70-7	242-149-6	30-45	None
Hydrophobic Silica	67762-90-7	n/a	0-5	None
Saccharin	81-07-2	201-321-0	1-7	None
Cumene hydroperoxide	80-15-9	201-254-7	1-3	Xi; R36/37

4. FIRST AID MEASURES

Skin Contact:	Remove contaminated clothing. Flush affected area with soap and plenty of water for at least 15 minutes. If irritation develops or persists, seek medical attention.
Eye Contact:	Flush eyes with warm water for at least 20 minutes. Hold eyelids apart to ensure complete irrigation of the eyes. Remove contact lenses. Seek immediate medical attention.
Inhalation:	Move to fresh air. If breathing is difficult provide oxygen. If not breathing, immediately begin rescue breathing. If heart has stopped, provide cardiopulmonary resuscitation (CPR). Seek immediate medical attention.
Ingestion:	Do not induce vomiting. If vomiting occurs spontaneously, place head lower than knees, or, if unconscious, in rescue position. Seek immediate medical attention.
Notes to Physician:	Maintain adequate ventilation and oxygenation of patient.

	5. FIRE AND IGNITION INFORMATION
Flack Daint	
Flash Point	>200°F
Explosion Limits in Air –	Nat astablished for the graduat itself
Upper (%):	Not established for the product itself.
Explosion Limits in Air –	Net established for the one dust its off
Lower (%):	Not established for the product itself.
OSHA Flammability	Operative
Classification:	Combustible
Auto-ignition Temperature:	Not established for the product itself.
Extinguishing Media:	Dry chemical, carbon dioxide, foam or water spray.
Special Protective	Fire fighters should us as full turn out soon is shuding NIOOU
Equipment for Firefighters:	Fire fighters should wear full turn-out gear, including NIOSH
	approved self-contained breathing apparatus operated in pressure-
On a sitis Hamanda	demand or other positive pressure when fighting fires.
Specific Hazards:	Sealed containers may rupture explosively if exposed to heat.
Hazardous Decomposition	
and/or Combustion	Oxides of carbon, smoke, fumes, unburned hydrocarbons, aldehydes,
Products:	and cyanides.
Risk of Dust Explosion:	Not applicable.
	6. ACCIDENTAL RELEASE MEASURES
Personal Precautions:	Only trained personnel should clean a spill. Ventilate spill area.
	Avoid breathing vapors, eye and skin contact. Wear appropriate
	personal protective equipment.
Methods for Cleaning Up:	Evacuate non-emergency personnel. Isolate the area and prevent
methods for oreaning op.	Evaluate Formengency personnen. Abade the allea and prevent

access. Ensure adequate ventilation. Absorb with liquid-binding

	material (sand, diatomite, acid binders, universal binders, sawdust). Transfer to a waste container. The waste can then be dispose of in accordance with all applicable local, state, and federal regulations. Ensure adequate ventilation.
Environmental Precautions:	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Do not allow spilled material onto or into soil, drains, sewer, rivers or other water courses.
	7. HANDLING AND STORAGE
Precautions for Safe Handling:	Avoid skin and eye contact. Wear appropriate personal protective equipment. Avoid breathing vapors. Work in a well-ventilated area. Do not ingest. Safety showers and eyewash stations should be available for use in the immediate work area. Wash hands after using this product, and before eating, drinking smoking or using the lavatory.
Conditions for Safe Storage: Incompatible Materials:	Store in well ventilated, cool, dry location, away from direct sunlight. Keep containers tightly closed when not in use. Do not store for prolonged periods at temperatures below freezing or above 100°F. Oxidizing materials

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

Exposure Limits for the Product itself have not been established.

Exposure limits for those components with limits are stated below.

Components of this product do not have any established exposure limits.

ENGINEERING CONTROLS: Use only with adequate ventilation. Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) stated above. The use of both general dilution and local exhaust ventilation is recommended to control airborne exposures to mist, vapor, or spray. Do not use in a confined area or areas with little or no air movement.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection:	When atmospheric levels may exceed the exposure guideline, use a NIOSH approved air-purifying respirator. Use a respirator that has been selected by an industrial hygienist or other technically qualified person for the specific work conditions. If respirators are used, OSHA requires compliance with its respirator program. For situations where atmospheric levels may exceed the level for which an air-purifying respirator is effective, use positive-pressure air-supplying respiratory (air-line or self-contained breathing apparatus).
Hand Protection:	Use gloves chemically resistant to this material. Select and use gloves and/or protective clothing to prevent skin contact based on the results of an exposure assessment.
Eye Protection:	Wear safety glasses with side shields. Chemical safety goggles and face shield should be used if splash hazard exists. Eyewash fountain

	should be located in the immediate work area.
Skin and Body Protection:	Wear chemical resistant clothing suitable to the job. Select and use
	gloves and/or protective clothing to prevent skin contact based on the
	results of an exposure assessment.
Other:	A hazard assessment should be performed before using this material
	to determine the appropriate personal protective equipment for the
	task. Safety shower and eyewash stations should be available in the
	immediate work area. Do not smoke, eat or drink while using this
	material. Wash hands after using this material, before eating,
	drinking, smoking or using the lavatory.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Opaque purple liquid
Odor:	Cumene Odor
рН	Not established for the product itself.
Odor Threshold:	Not established for the product itself.
Vapor Pressure:	Not established for the product itself.
Vapor Density:	Not established for the product itself.
Flash Point	>200°F
Explosion Limits in Air –	
Upper (%):	Not established for the product itself.
Explosion Limits in Air –	·
Lower (%):	Not established for the product itself.
OSHA Flammability	
Classification:	Combustible
Auto-ignition Temperature:	Not established for the product itself.
Decomposition	
Temperature:	Not established for the product itself.
Initial Boiling Point /Range:	Not established for the product itself.
Melting Point:	Not established for the product itself.
Freezing Point:	Not established for the product itself.
Water Solubility:	Not established for the product itself.
Specific Gravity:	1.04
Relative Density:	Not established for the product itself.
% Volatile (by Volume):	1.016
Evaporation Rate:	Not established for the product itself.
Partition coefficient: n-	
octanol/water	Not established for the product itself.
Viscosity:	Not established for the product itself.
	10. STABILITY AND REACTIVITY

Stability: Hazardous Polymerization: Mechanical Sensitivity (shock):	Stable under recommended conditions. See section 7. Will not occur. Not applicable.
Conditions to Avoid:	Avoid strong oxidizing agents. Storage temperatures below freezing or above 100°F.
Hazardous Decomposition and/or Combustion Products: Static Discharge Effects:	See section 5. Minimal
1	1. TOXICOLOGICAL INFORMATION

	ND Industries, Inc.	Page 5 of 9
Product Name: 111 Low Strengt	h Treadlocker Product Code: 111	Revision Date: 8/15/2013
Routes of Exposure:	Inhalation, Ingestion, Skin Contact, Eye Contact	
Signs and Symptoms of Exposure:	Contact with the skin can be indicated by redness a sight of exposure. Contact with the eye(s) is indicated and watering of the eye(s). Ingestion is indicated by irritation as well as gastro-intestinal discomfort.	ed by irritation, redness

Toxicological data has not been established for the product itself.

Components of this material that have associated toxicological data is provided below.

Acute Toxi Oral LD	•	No data available on the product itself. No data available on the product itself.
Dermal		No data available on the product itself.
Serious Ey Damage/Ey	e /e Irritation:	No data available on the product itself.
Skin Corro Irritation:	sion/	No data available on the product itself.
Respirator Sensitizatio		No data available on the product itself.
Germ Cell Mutagenici	ty:	No data available on the product itself.
Carcinoge	nicity	
ACGIH:		of this product is present at levels greater than or equal to 0.1% is identified as be or confirmed human carcinogen by ACGIH.
IARC:		of this product is present at levels greater than or equal to 0.1% is identified asible or confirmed human carcinogen by IARC.
NTP:		of this product is present at levels greater than or equal to 0.1% is identified asible or confirmed human carcinogen by NTP.
OSHA:		of this product is present at levels greater than or equal to 0.1% is identified asible or confirmed human carcinogen by OSHA.

Reproductive Toxicity: No data available on the product itself. Teratogenicity: No data available on the product itself. Specific Target Organ Toxicity – Single Exposure: No data available on the product itself. Specific Target Organ Toxicity – Repeated Exposure: No data available on the product itself. Aspiration Hazard: No data available on the product itself. Synergistic Materials: No data available on the product itself.

12. ECOLOGICAL INFORMATION

Information given is based on data on the components and the toxicology of similar products.

Aquatic Toxicity:	Do not allow spilled material onto or into soil, drains, sewer, rivers or other water courses.
Environmental Fate:	
Mobility:	No data available on the product itself.
Bioaccumulation:	No data available on the product itself.
Persistence/Degradability:	No data available on the product itself.
Distribution to	
Environmental	No data available on the product itself.
Compartments:	

13. DISPOSAL CONSIDERATIONS

Disposal:

Disposal of this product must be in accordance with all applicable local, state, and federal regulatory requirements. When disposing of waste materials contact and offer to only licensed professional waste disposal services. Do not dispose of used, unused, or wastes into sanitary sewage or storm water drains or systems.

RCRA Classification (40 CFR 261):

Dispose of in accordance with all applicable local, state and federal regulatory requirements.

Unused and Uncontaminated Product:

Dispose of in accordance with all applicable local, state, and federal regulatory requirements.

Disclaimer:

Information in this section pertains to the product as shipped in its intended composition as described in Section 2 of this MSDS. Contamination or processing may change waste characteristics and requirements. Regulations may also apply to empty containers, liners or rinsate. State/provincial and local regulations may be different from federal regulations.

14. TRANSPORTATION INFORMATION

DOT: Not Regulated

UN Identification Number:	NA
Proper Shipping Name:	NA
Hazard Class:	NA
Packing Group:	NA
Marine Pollutant:	NA
Poison Inhalation Hazard:	NA

IATA: Not Regulated

UN Identification Number:	NA
Proper Shipping Name:	NA
Hazard Class:	NA
Packing Group:	NA

IMDG: Not Regulated

UN Identification Number:	NA
Proper Shipping Name:	NA

Hazard Class:	NA
Packing Group:	NA
Marine Pollutant:	NA

15. REGULATORY INFORMATION

Hazard Classification

OSHA HCS 2012: Hazardous

Irritant, Skin (Category 2)

Irritant, Eye (Category 2)

International Inventories

All components of this product are listed on or exempt from the following inventories:

- Yes Australian Inventory of Chemical Substances (AICS)
- Yes Domestic Substances List (DSL)
- Yes Chinese Inventory
- Yes European Inventory of Existing Commercial Substances (EINECS)
- Yes Japanese Existing and New Chemical Substances (ENCS)
- Yes Korean Existing Chemicals List (KECL)
- Yes New Zealand Hazardous Substances and New Organisms Act (HSNO)
- Yes Philippine Inventory of Chemicals and Chemical Substances (PICCS)
- Yes United States Toxic Substances Control Act (TSCA) Inventory

U.S. Federal Regulations

TSCA 12(b) Export Notification: None

Clean Air Act amendments of 1990 (CAA, Section 11240: CFR 82): Yes

Component	CAS #	Amount
Cumene Hydroperoxide	80-15-9	1-3%

Clean Water Act (CWA, 40 CFR 116): No Priority Pollutants

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA, 40 CFR 302): Yes

Component	CAS #	RQ
Cumene Hydroperoxide	80-15-9	10 lbs.
Saccharin	81-07-2	100 lbs.

Superfund Amendments and Reauthorization Act, Title III (SARA):

SARA Section 302 (40 CFR 355) Extremely Hazardous Substances: No

Component	CAS #	Amount
NA	NA	NA

SARA Section 311/312 (40 CFR 370) Hazard Category: Acute

SARA Section 313 (40 CFR 372) Toxics Release Inventory: Yes

Component	CAS #	Amount
Cumene Hydroperoxide	80-15-9	1-3%

U.S. State Regulations

California Proposition 65: This product contains chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

16. OTHER INFORMATION

Component	CAS #	Amount
Cumene Hydroperoxide	80-15-9	1-3%

HMIS Rating

IIS Index: *- chronic, 0 – Minimal, 1 – slight, 2- moderate, 3 – serious, 4 –severe Health: 2 Flammability: 0 Physical Hazard: 0 ditional Contacts: Prepared by: Version: 3.1 Revision Date: 8/15/2013 Previous Revision 6/12/2012 Reasons for Revision: Conversion of MSDS to SDS	Thine Rating		
Flammability: 0 Physical Hazard: 0 ditional Contacts: Prepared by: Prepared by: ND Industries, Inc. – Safety, Health and Environmental Affaires Version: 3.1 Revision Date: 8/15/2013 Previous Revision 6/12/2012	HMIS Index: *- chronic, 0	– Mi	nimal, 1 – slight, 2- moderate, 3 – serious, 4 –severe
Physical Hazard: 0 ditional Contacts: Prepared by: ND Industries, Inc. – Safety, Health and Environmental Affaires Version: 3.1 Revision Date: 8/15/2013 Previous Revision 6/12/2012	Health:	2	
ditional Contacts: Prepared by: ND Industries, Inc. – Safety, Health and Environmental Affaires Version: 3.1 Revision Date: 8/15/2013 Previous Revision 6/12/2012	Flammability:	0	
Prepared by:ND Industries, Inc. – Safety, Health and Environmental AffairesVersion:3.1Revision Date:8/15/2013Previous Revision6/12/2012	Physical Hazard:	0	
Version:3.1Revision Date:8/15/2013Previous Revision6/12/2012	Additional Contacts:		
Revision Date:8/15/2013Previous Revision6/12/2012	Prepared by:		ND Industries, Inc. – Safety, Health and Environmental Affaires
Previous Revision Date: 6/12/2012	Version:		3.1
Date: 6/12/2012	Revision Date:		8/15/2013
	Previous Revision		
Reasons for Revision: Conversion of MSDS to SDS			
	Reasons for Revisior	ו:	Conversion of MSDS to SDS

<u>Glossary</u>

ACGIH:	American Conference of Governmental Industrial Hygienists
CAS:	Chemical Abstract Service Number
Ceiling:	Absolute exposure limit that should not be exceeded at any time
CERCLA:	Comprehensive Environmental Response, Compensation, and Liability Act
GHS:	Globally Harmonized System
HCS	U.S. Hazard Communications Standard
IARC:	International Agency for Research on Cancer
IATA:	International Air Transportation Association
IDLH:	Immediately Dangerous to Life and Health
IMDG:	International Maritime Dangerous Goods Code
DOT:	U.S. Department of Transportation
OSHA:	Occupational Safety and Health Administration
NTP:	U.S. National Toxicology Program
PEL:	Permissible Exposure Limit - An airborne concentration in which nearly all workers may be repeatedly exposed without adverse health effects. Establish by US OSHA
ppm:	Parts per million
RCRA:	Resource Conservation and Recovery Act
SARA:	Superfund Amendments and Reauthorization Act
STEL:	Short Term Exposure Limit - One time exposure for a duration of 15 minutes, that cannot be repeated more than 4 times per day
TSCA:	Toxic Substances Control Act
TLV:	Threshold Limit Value - An airborne concentration in which nearly all workers may be repeatedly exposed without adverse health effects. Established by US ACGIH

TWA: Time Weighted Average - Average exposure on the basis of a 8h/day, 40h/week work schedule

Disclaimer:

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, TM Vibra-TITE is a trademark of ND Industries, Inc.