



# SAFETY DATA SHEET

Prepared in accordance with OSHA HCS 2012

Revision Date: 8/15/2013 SDS No.: ND3528 Version: 3.1

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: 121 Medium Strength Threadlocker

Synonyms: 121

Use of the Substance/Preparation: Tread locking and sealing

## Supplier:

ND Industries, Inc. 1893 Barrett Road Troy, Michigan 48084 Tel: (248) 288-0000 Fax: 248) 288-0022 E-mail: <u>info@ndindustries.com</u> Website: www.ndindustries.com

**Emergency Telephone Number:** 

24 hr. EMERGENCY CHEMTREC 1-800-424-9300 24 hr. CHEMTREC INTERNATIONAL +1-703-527-3887

## 2. HAZARDS IDENTIFICATION

## Classification of Chemical in Accordance 29 CFR 1910.1200

# Classification of Mixture OSHA HCS 2012:

Irritant, Skin (Category 2) Irritant, Eye (Category 2)

## **GHS Classification:**

Irritant, Skin (Category 2) Irritant, Eye (Category 2)

## OSHA HCS 2012 / GHS Label Elements, including precautionary statements

Pictogram:



Signal word:

## Hazard Statement(s)

H315 - Causes skin irritation H320 - Causes eye irritation

## **Precautionary Statement(s)**

P264 - Wash face, hands and any exposed skin thoroughly after handling. P280 - Wear protective gloves, clothing, eye protection or face protection. Product Name: 121 Medium Strength Threadlocker Product Code: 121

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	EINECS Number	Weight %	EU Classification
Methacrylate monomer	25852-47-5	n/a	55-75	None
Polyethylene glycol ester	18268-70-7	242-149-6	15-35	None
Hydrophobic Silica	67762-90-7	n/a	1-10	None
Paraffin wax	8002-74-2	232-315-6	<5	None
Saccharin	81-07-2	201-321-0	<5	None
Cumene hydroperoxide	80-15-9	201-254-7	<2	Xi: R36/37

## 4. FIRST AID MEASURES

Skin Contact:	Remove contaminated clothing. Flush affected area with soap and plenty of water for at least 15 minutes. If irritation develops or persists, seek medical attention.
Eye Contact:	Flush eyes with warm water for at least 20 minutes. Hold eyelids apart to ensure complete irrigation of the eyes. Remove contact lenses. Seek immediate medical attention.
Inhalation:	Move to fresh air. If breathing is difficult provide oxygen. If not breathing, immediately begin rescue breathing. If heart has stopped, provide cardiopulmonary resuscitation (CPR). Seek immediate medical attention.
Ingestion:	Do not induce vomiting. If vomiting occurs spontaneously, place head lower than knees, or, if unconscious, in rescue position. Seek immediate medical attention.
Notes to Physician:	Maintain adequate ventilation and oxygenation of patient.

#### 5. FIRE AND IGNITION INFORMATION

Flash Point Explosion Limits in Air –	>200°F	
Upper (%): Explosion Limits in Air –	Not established for the product itself.	
Lower (%): OSHA Flammability	Not established for the product itself.	
Classification:	Combustible	
Auto-ignition Temperature:	Not established for the product itself.	
Extinguishing Media: Special Protective	Dry chemical, carbon dioxide, foam or water spray.	
Equipment for Firefighters:	Fire fighters should wear full turn-out gear, including NIOSH approved self-contained breathing apparatus operated in pressure- demand or other positive pressure when fighting fires.	
Specific Hazards:	Sealed containers may rupture if exposed to heat.	
Hazardous Decomposition		
and/or Combustion	Oxides of carbon, smoke, fumes, unburned hydrocarbons, aldehydes,	
Products:	and cyanides.	
Risk of Dust Explosion:	Not applicable.	
6. ACCIDENTAL RELEASE MEASURES		
Personal Precautions:	Only trained personnel should clean a spill. Ventilate spill area. Avoid breathing vapors, eye and skin contact. Wear appropriate	

Methods for Cleaning Up:personal protective equipment.Evacuate non-emergency personnel. Isolate the area and prevent

	access. Ensure adequate ventilation. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Transfer to a waste container. The waste can then be dispose of in accordance with all applicable local, state, and federal regulations. Ensure adequate ventilation.
Environmental Precautions:	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Do not allow spilled material onto or into soil, drains, sewer, rivers or other water courses.
	7. HANDLING AND STORAGE
Precautions for Safe Handling:	Avoid skin and eye contact. Wear appropriate personal protective equipment. Avoid breathing vapors. Work in a well-ventilated area. Do not ingest. Safety showers and eyewash stations should be available for use in the immediate work area. Wash hands after using this product, and before eating, drinking smoking or using the

**Conditions for Safe** Storage:

Incompatible Materials:

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Store in well ventilated, cool, dry location, away from direct sunlight. Keep containers tightly closed when not in use. Do not store for

prolonged periods at temperatures below freezing or above 100°F.

#### **EXPOSURE LIMITS**

Exposure Limits for the Product itself have not been established.

Exposure limits for those components with limits are stated below.

#### Components of this product do not have any established exposure limits.

lavatory.

Oxidizing materials

**ENGINEERING CONTROLS:** Use only with adequate ventilation. Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) stated above. The use of both general dilution and local exhaust ventilation is recommended to control airborne exposures to mist, vapor, or spray. Do not use in a confined area or areas with little or no air movement.

#### PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection:	When atmospheric levels may exceed the exposure guideline, use a NIOSH approved air-purifying respirator. Use a respirator that has been selected by an industrial hygienist or other technically qualified person for the specific work conditions. If respirators are used,
	OSHA requires compliance with its respirator program. For situations where atmospheric levels may exceed the level for which an air- purifying respirator is effective, use positive-pressure air-supplying respiratory (air-line or self-contained breathing apparatus).
Hand Protection:	Use gloves chemically resistant to this material. Select and use gloves and/or protective clothing to prevent skin contact based on the results of an exposure assessment.

Eye Protection:	Wear safety glasses with side shields. Chemical safety goggles and face shield should be used if splash hazard exists. Eyewash fountain should be located in the immediate work area.	
Skin and Body Protection:	Wear chemical resistant clothing suitable to the job. Select and use gloves and/or protective clothing to prevent skin contact based on the results of an exposure assessment.	
Other:	A hazard assessment should be performed before using this material to determine the appropriate personal protective equipment for the task. Safety shower and eyewash stations should be available in the immediate work area. Do not smoke, eat or drink while using this material. Wash hands after using this material, before eating, drinking, smoking or using the lavatory.	

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Opaque Blue Liquid
Odor:	Slight Cumene odor
рН	Not established for the product itself.
Odor Threshold:	Not established for the product itself.
Vapor Pressure:	Not established for the product itself.
Vapor Density:	Not established for the product itself.
Flash Point	>200°F
Explosion Limits in Air –	
Upper (%):	Not established for the product itself.
Explosion Limits in Air –	· · · · · · · · · · · · · · · · · · ·
Lower (%):	Not established for the product itself.
OSHA Flammability	· · · · · · · · · · · · · · · · · · ·
Classification:	Combustible
Auto-ignition Temperature:	Not established for the product itself.
Decomposition	Not established for the product itself.
Temperature:	·
Initial Boiling Point /Range:	Not established for the product itself.
Melting Point:	Not established for the product itself.
Freezing Point:	Not established for the product itself.
Water Solubility:	Not established for the product itself.
Specific Gravity:	1.04 – 1.08
Relative Density:	Not established for the product itself.
% Volatile (by Volume):	0.35 - 0.41 lb/gal.
Evaporation Rate:	Not established for the product itself.
Partition coefficient: n-	
octanol/water	Not established for the product itself.
Viscosity:	Not established for the product itself.
	10. STABILITY AND REACTIVITY
Otal litter	
Stability:	Stable under recommended conditions. See section 7.
Hazardous Polymerization:	Will not occur.
Mechanical Sensitivity	Not applicable.
(shock): Conditions to Avoid:	Avoid strong svidining sagets. Otars to the statute balance
Conditions to Avoid:	Avoid strong oxidizing agents. Storage temperatures below
Hazardous Decomposition	freezing or above 100°F.

Hazardous Decomposition and/or Combustion Products: Static Discharge Effects:

See section 5. Minimal Product Name: 121 Medium Strength Threadlocker Product Code: 121

# 11. TOXICOLOGICAL INFORMATION

Routes of Exposure:	Ingestion, Skin Contact, Eye Contact
Signs and Symptoms of Exposure:	Contact with the skin can be indicated by redness and/or irritation at the sight of exposure. Contact with the eye(s) is indicated by irritation, redness and watering of the eye(s). Ingestion is indicated by irritation of the mouth, nose, and throat as well as gastro-intestinal discomfort.

## Toxicological data has not been established for the product itself.

Components of this material that have associated toxicological data is provided below.

Acute Toxic Oral LD Inhalatic Dermal	50: on LC50:	No data available on the product itself. No data available on the product itself. No data available on the product itself.	
Serious Ey Damage/Ey	e re Irritation:	No data available on the product itself.	
Skin Corros Irritation:	sion/	No data available on the product itself.	
Respiratory Sensitizatio		No data available on the product itself.	
Germ Cell Mutagenici	ty:	No data available on the product itself.	
Carcinoger	nicity		
ACGIH:			
IARC:	No component of this product is present at levels greater than or equal to 0.1% is identifie as probable, possible or confirmed human carcinogen by IARC.		
NTP:	No component of this product is present at levels greater than or equal to 0.1% is ident as probable, possible or confirmed human carcinogen by NTP.		
OSHA:	No component of this product is present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.		
Reproducti	ve Toxicity:	No data available on the product itself.	
Teratogenie	city:	No data available on the product itself.	
Specific Ta Toxicity – S Exposure:		No data available on the product itself.	
Specific Ta Toxicity – F Exposure:		No data available on the product itself.	
Aspiration	Hazard:	No data available on the product itself.	

Synergistic Materials:

No data available on the product itself.

#### **12. ECOLOGICAL INFORMATION**

Information given is based on data on the components and the toxicology of similar products.

Aquatic Toxicity:	Do not allow spilled material onto or into soil, drains, sewer, rivers or other water courses.
Environmental Fate:	
Mobility:	No data available on the product itself.
Bioaccumulation:	No data available on the product itself.
Persistence/Degradability:	No data available on the product itself.
Distribution to	
Environmental	No data available on the product itself.
Compartments:	

#### 13. DISPOSAL CONSIDERATIONS

#### Disposal:

Disposal of this product must be in accordance with all applicable local, state, and federal regulatory requirements. When disposing of waste materials contact and offer to only licensed professional waste disposal services. Do not dispose of used, unused, or wastes into sanitary sewage or storm water drains or systems.

#### RCRA Classification (40 CFR 261):

Dispose of in accordance with all applicable local, state and federal regulatory requirements.

#### **Unused and Uncontaminated Product:**

Dispose of in accordance with all applicable local, state, and federal regulatory requirements.

#### Disclaimer:

Information in this section pertains to the product as shipped in its intended composition as described in Section 2 of this MSDS. Contamination or processing may change waste characteristics and requirements. Regulations may also apply to empty containers, liners or rinsate. State/provincial and local regulations may be different from federal regulations.

## 14. TRANSPORTATION INFORMATION

#### **DOT: Not Regulated**

UN Identification Number:	NA
Proper Shipping Name:	NA
Hazard Class:	NA
Packing Group:	NA
Marine Pollutant:	NA
Poison Inhalation Hazard:	NA

#### IATA: Not Regulated

LINI Identification Number	NIA
UN Identification Number:	NA
Proper Shipping Name:	NA
Hazard Class:	NA
Packing Group:	NA

## IMDG: Not Regulated

UN Identification Number:	NA
Proper Shipping Name:	NA
Hazard Class:	NA
Packing Group:	NA
Marine Pollutant:	NA

## **15. REGULATORY INFORMATION**

## Hazard Classification

## **OSHA HCS 2012: Hazardous**

Irritant, Skin (Category 2) Irritant, Eye (Category 2)

## International Inventories

## All components of this product are listed on or exempt from the following inventories:

- Yes Australian Inventory of Chemical Substances (AICS)
- Yes Domestic Substances List (DSL)
- Yes Chinese Inventory
- Yes European Inventory of Existing Commercial Substances (EINECS)
- Yes Japanese Existing and New Chemical Substances (ENCS)
- Yes Korean Existing Chemicals List (KECL)
- Yes New Zealand Hazardous Substances and New Organisms Act (HSNO)
- Yes Philippine Inventory of Chemicals and Chemical Substances (PICCS)
- Yes United States Toxic Substances Control Act (TSCA) Inventory

## **U.S. Federal Regulations**

## TSCA 12(b) Export Notification: None

### Clean Air Act amendments of 1990 (CAA, Section 11240: CFR 82): Yes

Component	CAS #	Amount
Cumene Hydroperoxide	80-15-9	<2%

## Clean Water Act (CWA, 40 CFR 116): No Priority Pollutants

# Comprehensive Environmental Response, Compensation and Liability Act (CERCLA, 40 CFR 302): No

Component	CAS #	RQ
Cumene Hydroperoxide	80-15-9	10 lbs.
Saccharin	81-07-2	100 lbs.

## Superfund Amendments and Reauthorization Act, Title III (SARA):

## SARA Section 302 (40 CFR 355) Extremely Hazardous Substances: No

Component	CAS #	Amount
NA	NA	NA

## SARA Section 311/312 (40 CFR 370) Hazard Category: Acute

# SARA Section 313 (40 CFR 372) Toxics Release Inventory: No

_Cc	omponent		CAS #	Amount
С	umene Hydroperoxi	de	80-15-9	10 lbs.
U.S. State Reg	gulations			
			ins chemicals known to	the state of California to
	ncer, birth defects o	r other reproductiv		•
	ponent		CAS #	Amount
Cum	ene Hydroperoxide		80-15-9	<2%
		16. OTHER IN	IFORMATION	
HMIS Rating HMIS Index: *	- chronic, 0 – Mini	mal, 1 – slight, 2-	moderate, 3 – serious	, 4 –severe
Health:	2			
Flammabi	•			
Physical I	Hazard: 0			
Prepared Version: Revision Previous Date: Reasons	3 Date: 8 Revision 6	ID Industries, Inc. .1 /15/2013 /12/2013 conversation of N	– Safety, Health and En	vironmental Attaires
<u>Glossary</u>				
ACGIH:	American Conferenc	e of Governmental Ind	ustrial Hygienists	
CAS:	Chemical Abstract S			
Ceiling:		mit that should not be e	-	
CERCLA:	·	•	Compensation, and Liability A	ct
GHS:	Globally Harmonized	-		
HCS	U.S. Hazard Commu			
IARC:	International Agency	for Research on Canc	er	
IATA:		sportation Association		
IDLH:	, ,	ous to Life and Health		
IMDG:		e Dangerous Goods C	ode	
DOT:	U.S. Department of 1			
OSHA:	Occupational Safety	and Health Administra	tion	
NTP:	U.S. National Toxico			
PEL:			oncentration in which nearly al Establish by US OSHA	I workers may be repeatedly

PEL: exposed ... without adverse health effects. Establish by US OSHA ppm: Parts per million

RCRA: Resource Conservation and Recovery Act

SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit - One time exposure for a duration of 15 minutes, that cannot be repeated more

than 4 times per day

TSCA:	Toxic Substances Control Act
TLV:	Threshold Limit Value - An airborne concentration in which nearly all workers may be repeatedly exposed without adverse health effects. Established by US ACGIH
TWA:	Time Weighted Average - Average exposure on the basis of a 8h/day, 40h/week work schedule

## **Disclaimer:**

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

#### ®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, <sup>TM</sup> Vibra-TITE is a trademark of ND Industries, Inc.