



MATERIAL SAFETY DATA SHEET

Prepared in accordance with ISO 11014-1/ ANSI standard
Z400.1-2004

Revision Date: 6/13/2012
MSDS No.: ND2111

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: 542 High Strength Retaining Compound

Use of the Substance/Preparation: Retaining Compound

Supplier:

ND Industries, Inc.
1893 Barrett Drive
Troy, Michigan 48084
Tel: (248) 288-0000
Fax: 248) 288-0022
Website: www.ndindustries.com
E-mail: info@ndindustries.com

Emergency Telephone Number: 24 hr. EMERGENCY CHEMTREC 1-800-424-9300
24 hr. CHEMTREC INTERNATIONAL +1-703-527-3887

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Avoid contact with skin and eyes. May cause sensitization
CAUTION by skin contact. May cause respiratory irritation.

Principle Routes of Exposure: Skin and eyes.

POTENTIAL HEALTH EFFECTS:

Eye Contact: Causes eye irritation characterized by excessive tearing, redness, and blinking.

Skin Contact: Causes moderate skin irritation. May cause sensitization by skin contact.

Inhalation: Vapors generated at elevated temperatures may cause respiratory tract irritation.

Ingestion: Not expected to be a route of entry under normal industrial use conditions. May cause irritation of the gastrointestinal tract.

Carcinogenic Effects: No data available.

Target Organ Effects: No data available.

Medical Conditions Aggravated by Exposure: Skin conditions or diseases.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	EINECS Number	Weight %	Risk Phrases
Ethoxylated bisphenol A dimethacrylate	24448-20-2	246-263-7	40-50	None
Hydroxypropyl methacrylate	27813-02-1	248-666-3	30-40	None

Bisphenol-A Fumarate Resin	39382-25-7	n/a	10-20	None
Silica	67762-90-7	n/a	1-5	None
Saccharin	81-07-2	201-321-0	1-5	None
Cumene hydroperoxide	80-15-9	201-254-7	1-3	Xi; R36/37

4. FIRST AID MEASURES

Skin Contact:	Thoroughly wash exposed area with soap and water. Flush with lukewarm water for at least 15 minutes. If irritation develops, seek medical attention. Launder contaminated clothing before reuse.
Eye Contact:	Flush eyes with generous amounts of water for 20-30 minutes, lifting both upper and lower eyelids occasionally. Get medical attention.
Inhalation:	If overcome by exposure, victim should be removed to fresh air immediately. Give artificial respiration as needed. Get immediate medical attention.
Ingestion:	Do not induce vomiting. Immediately seek medical attention.

5. FIRE AND IGNITION INFORMATION

Flash Point	>200°F
Explosion Limits in Air – Upper (%):	Not determined.
Explosion Limits in Air – Lower (%):	Not determined.
OSHA Flammability Classification:	Cumbustible.
Autoignition Temperature:	Not determined.
Extinguishing Media:	CO ₂ , Foam, Dry Chemical or Water Spray.
Special Protective Equipment for Firefighters:	Wear a NIOSH approved self-contained breathing apparatus operated in pressure-demand or other positive pressure when fighting fires. Sealed containers may rupture explosively if exposed to heat.
Hazardous Decomposition and/or Combustion Products:	Combustion yields oxides of carbon and possible toxic fumes.
Risk of Dust Explosion:	Not applicable.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Only trained personnel should clean a spill. Avoid contact with skin and eyes. Use appropriate personal protective equipment when cleaning a chemical spill. Extinguish all ignition sources. Ventilate spill area.
Methods for Cleaning Up:	Absorb loose material on inert filler and place in suitable container for proper disposal.
Environmental Precautions:	Do not permit product to enter drains, sewers, rivers or other water courses. Dispose of material in accordance with local, state and federal regulations.

7. HANDLING AND STORAGE

Handling:	Avoid contact with skin and eyes. Wear appropriate personal protective equipment.
------------------	---

Storage: Store product in a cool dry place, away from direct sunlight. Keep container tightly closed when not in use. Do not store for prolonged periods at temperatures below freezing or above 100°F.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

Exposure limits for those components with limits are stated below.

Silica: US OSHA PEL: 6 mg/m³
US ACGIH – TLV: 10 mg/m³ (Inhalable)

PEL: Permissible Exposure Limit

TLV: Threshold Limit Value

TWA: Time Weighted Average

US ACGIH: United States American Conference of Governmental Industrial Hygienists

US OSHA: United States Occupational Safety and Health Administration

ENGINEERING CONTROLS

General ventilation.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Not necessary under normal use conditions.

Hand Protection: Wear appropriate chemical resistant gloves such as rubber or vinyl.

Eye Protection: Use NIOSH approved safety glasses. If eye contact due to splash hazard exists during use, wear chemical splash goggles.

Skin and Body Protection: Wear impervious clothing to prevent contact with skin.

Other: Wash hands after using and before eating, drinking, smoking, or using the lavatory.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Green liquid
Odor:	Cumene odor
pH	Not determined
Vapor Pressure:	Not determined
Boiling Point/Range:	Not determined
Melting Point/Range:	Not determined
Water Solubility:	Insoluble
Specific Gravity:	1.09
VOC Content:	3.55 lbs/gal
Evaporation Rate:	Not determined
Viscosity:	Not determined
Partition Coefficient (n-octanol/water):	Not determined

10. STABILITY AND REACTIVITY

Stability:	Stable.
Hazardous Polymerization:	Will not occur.
Mechanical Sensitivity (shock):	N/A
Conditions to Avoid:	Avoid strong oxidizing agents. Storage temperatures below freezing or above 100°F.
Static Discharge Effects:	Minimal.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Oral LD50:	No data available.	Carcinogenic Effects:	No data available.
Inhalation LC50:	No data available.	Mutagenic Effects:	No data available.
Dermal LC50:	No data available.	Reproductive Toxicity:	No data available.
Eye Irritation:	No data available.	Sensitizing Effects:	No data available.
Skin Irritation:	No data available.	Synergistic Materials:	No data available.

SUBCHRONIC TOXICITY

No data available.

12. ECOLOGICAL INFORMATION

Information given is based on data on the components and the toxicology of similar products.

Aquatic Toxicity: Not determined

ENVIRONMENTAL FATE

Mobility:	No data available.
Bioaccumulation:	No data available.
Persistence / Degradability:	No data available.
Distribution to Environmental Compartments:	No data available.

13. DISPOSAL CONSIDERATIONS

Disclaimer: Information in this section pertains to the product as shipped in its intended composition as described in Section 2 of this MSDS. Contamination or processing may change waste characteristics and requirements. Regulations may also apply to empty containers, liners or rinsate. State/provincial and local regulations may be different from federal regulations.

RCRA Classification (40 CFR 261): When this product is determined to be a waste, dispose of in accordance with all federal, state, and local regulations.

14. TRANSPORTATION INFORMATION

DOT shipping: Not regulated.

15. REGULATORY INFORMATION

Hazard Classification

United States – OSHA (29 CFR 1910.1200): This material is considered hazardous under OSHA.

International Inventories

All components of this product are listed on or exempt from the following inventories:

- (yes) - Australian Inventory of Chemical Substances (AICS)
- (yes) - Domestic Substances List (DSL)
- (yes) - Chinese Inventory
- (yes) - European Inventory of Existing Commercial Substances (EINECS)

- (yes) - Japanese Existing and New Chemical Substances (ENCS)
- (yes) - Korean Existing Chemicals List (KECL)
- (yes) - New Zealand Hazardous Substances and New Organisms Act (HSNO)
- (yes) - United States Toxic Substances Control Act (TSCA) Inventory

U.S. Federal Regulations

TSCA 12(b) Export Notification: None

Clean Air Act amendments of 1990 (CAA, Section 11240: CFR 82): Contains cumene hydroperoxide at <3%.

Clean Water Act (CWA, 40 CFR 116): None

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA, 40 CFR 302): Cumene hydroperoxide, RQ: 10 pounds and saccharin, RQ: 100 pounds.

Superfund Amendments and Reauthorization Act, Title III (SARA):

SARA Section 302 (40 CFR 355) Extremely Hazardous Substances: No components of this product are listed as extremely hazardous chemicals under SARA section 302.

SARA Section 311/312 (40 CFR 370) Hazard Category: Acute, chronic.

SARA Section 313 (40 CFR 372) Toxics Release Inventory: Contains cumene hydroperoxide at <3%.

Hazard symbols: Xi; Irritant
Risk phrases: R36/37: Irritating to eyes and respiratory system

Safety phrases: S2: Keep out of reach of children
S24/25: Avoid contact with skin and eyes
S37/39 Wear suitable gloves and eye/face protection

U.S. State Regulations

California Proposition 65: This product contains or may contain chemical(s) known to the State of California to cause cancer, birth defects or other reproductive harm.

16. OTHER INFORMATION

HMIS Rating

HMIS Index: *- chronic, 0 – Minimal, 1 – slight, 2- moderate, 3 – serious, 4 –severe

Health: 2

Flammability: 1

Physical Hazard: 1

Prepared by: ND Industries, Inc. – Safety, Health and Environmental Affairs
Revision Date: 6/13/2012
Previous Revision Date: 12/22/2008
Reasons for Revision: New 16 part format

Disclaimer:

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.