



Technologies

Revision Date:	06/25/2003		Print date:	06/25/2003	
	1. CH	EMICAL PROD	OUCT AND COMPANY		
Product name:	ViperLube(TM) Synth	netic Grease High	Item number:	36783	
Product type: Company address: Henkel Loctite Corpo 1001 Trout Brook Cr Rocky Hill, Connectio Telephone: (860) 57 Emergency telephon	ossing cut 06067 1-5100		Region:	United States	
	2.	COMPOSITION	I/INFORMATION ON I	NGREDIENTS	
Hazardous compor Polyalphaolefins	<u>ients</u>	<u>%</u> 30-60	ACGIH TLV 5mg/m³ TWA (mist:) 10mg/m³ STEL (mist)	<u>OSHA PEL</u> 5mg/m³ TWA (mist:)	OTHER None
Zinc oxide 1314-13-2		5-10	10 mg/m³ STEL (fume) 10 mg/m³ TWA (dust) 5 mg/m³ TWA (fume)	15 mg/m ³ TWA (total dust) 5 mg/m ³ TWA (respirable fraction)	None
Calcium carbonate 471-34-1		5-10	10 mg/m³ TWA (particulate matter containing no asbestos	5 mg/m ³ TWA (fume) 15 mg/m ³ TWA (total dust) 5 mg/m ³ TWA (respirable	None
Distillates (petroleum dewaxed heavy para 64742-65-0		5-10	and <1% crystalline silica) 5 mg/m³ TWA (mist) 10mg/m³ STEL (mist)	fraction) 5 mg/m ³ TWA (mist)	None
		3. HAZ	ARDS IDENTIFICATI	ON	
		EME		<u>V</u>	
Physical state: Color: Odor:	Semi-solid White Mild petroleum		<u>HMIS:</u> HEALTH: FLAMMABII PHYSICAL Personal Pr	HAZARD:	1 1 0 See Section 8
CAUTION	I: MAY CAU	SE EYE AND S	KIN IRRITATION.		
Relevant routes of	exposure:	Skin, inhalation, e	eyes		
Potential Health Eff	ects				
Inhalation:Mist or spray may cause respiratory tract irritation and delayed onset pulmonary edema.Skin contact:May cause irritation due to defatting of the skin.Eye contact:May cause irritation.Ingestion:Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.					
Existing conditions Item number: 367	aggravated by expo	sure:	-	espiratory disorders. e: ViperLube(TM) Synthetic	Grease High Performance

4. FIRST AID MEASURES

Inhalation:	Remove to fresh air. If discomfort persists seek medical attention.
Skin contact:	Wash with soap and water. If hot material contacts the skin, immediately cool before attempting removal. Get medical attention if symptoms develop and persist. If high pressure forces the product under the skin get immediate medical attention.
Eye contact:	Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
Ingestion:	Do not induce vomiting. Never give anything by mouth to an unconscious person. Aspiration may cause pulmonary edema and pneumonitis. Obtain medical attention.

5. FIRE-FIGHTING MEASURES			
Flash point:	Greater than 180°C (350°F)		
Autoignition temperature:	Not determined		
Flammable/Explosive limits-lower %:	Not available		
Flammable/Explosive limits-upper %:	Not available		
Extinguishing media:	Small Fires:. Dry chemical. Dry sand. Vermiculite. Large fires: Treat as oil fire. Water fog. Foam		
Special fire fighting procedures: Water spray may be ineffective. Oil will float on water and can spread fire.			
Unusual fire or explosion hazards:	None		
Hazardous combustion products:	Oxides of carbon. Oxides of sulfur.		
	6. ACCIDENTAL RELEASE MEASURES		
Environmental precautions:	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains or open waters.		
Clean-up methods:	Clean-up methods - large spillage. Flush with water. Dispose of in accordance with local and national regulations.		
	7. HANDLING AND STORAGE		
Handling:	Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mist. Wash thoroughly after handling. Keep container closed.		
Storage:	Keep in a cool, well ventilated area.		
Incompatible products:	Oxidizing agents.		
For information on product shelf life contact Henkel Loctite Customer Service at (800) 243-4874.			
8. EXPOSURE CONTROLS / PERSONAL PROTECTION			

 Engineering controls:
 Ensure adequate ventilation. Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.

 Item number:
 36783

 Product name:
 ViperLube(TM)
 Synthetic Grease High Performance 2 of 5

Respiratory protection:	If personal exposure cannot be controlled below applicable limits by ventilation, wear a properly fitted organic vapor/particulate respirator approved by NIOSH for protection against materials in Section 2. Observe OSHA regulations for respiratory use (29 CFR 1910.134).		
Skin protection:	Cover as much of the exposed skin area as possible with appropriate clothing.		
Eye/face protection: Safety glasses with side-shields. Goggles.			
See Section 2 for exposure limits.			

9. PHYSICAL AND CHEMICAL PROPERTIES

Vapor pressure:LespH:NoBoiling point/range:NoMelting point/range:NoSpecific gravity:0.9Vapor density:NoEvaporation rate:NoSolubility in water:NePartition coefficient (n-octanol/water):No	hite Id petroleum ss than 0.01 mm Hg at 20°C (68°F) t applicable t available 55 to 1.05 at 25°C (77°F) t available t available tgligible t determined .9%; 28.9 grams/liter
--	---

10. STABILITY AND REACTIVITY

Stability:	Stable at normal conditions
Hazardous polymerization:	Will not occur. Hazardous polymerization: Not applicable
Hazardous decomposition products:	Oxides of carbon. Oxides of sulfur.
Incompatability:	Oxidizing agents.
Conditions to avoid:	None known.

11. TOXICOLOGICAL INFORMATION

Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Polyalphaolefins	No	No	No
Zinc oxide	No	No	No
Calcium carbonate	No	No	No
Distillates (petroleum), solvent	No	No	No
dewaxed heavy paraffinic			

Literature Referenced Target Organ & Other Health Effects

Hazardous components	Health Effects/Target Organs
Polyalphaolefins	No Target Organs
Zinc oxide	Skin, Respiratory, Pancreas, Metabolic, Kidney, Irritant, Immune system, Blood, Nervous System, Gastrointestinal
Calcium carbonate	Nuisance dust
Distillates (petroleum), solvent	Irritant
dewaxed heavy paraffinic	

12. ECOLOGICAL INFORMATION			
Ecological information:	Not available		
	13. DISPOSAL CONSIDERATIONS		
	Information provided is for unused product only.		
Recommended method of disposal:	Dispose of according to Federal, State and local governmental regulations.		
EPA hazardous waste number:	Not a RCRA hazardous waste.		
	14. TRANSPORT INFORMATION		
U.S. Department of Transportation Gro			
Proper shipping name:	Not regulated		
Hazard class or division:	None		
Identification number: Packing group:	None None		
Packing group.	None		
International Air Transportation (ICAO)	1474).		
International Air Transportation (ICAO/ Proper shipping name:	Not regulated		
Hazard class or division:	None		
Identification number:	None		
Packing group:	None		
WaterTransportation (IMO/IMDG):			
Proper shipping name:	Not regulated		
Hazard class or division:	None		
Identification number:	None		
Packing group:	None		
Marine pollutant:	None		
	15. REGULATORY INFORMATION		
United States Regulatory Information			
TSCA 8 (b) Inventory Status: TSCA 12 (b) Export Notification:	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory. None.		
CERCLA/SARA Section 302 EHS:	None.		
CERCLA/SARA Section 302 En3. CERCLA/SARA Section 311/312:	Immediate Health Hazard		
CERCLA/SARA 313:	This product contains the following toxic chemicals subject to the reporting requirements of section		
SERGER GARA OTO.	313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Zinc oxide		
	(CAS# 1314-13-2)(Dust and fumes only).		
California Proposition 65:	No California Proposition 65 listed chemicals are known to be present.		
Canada Regulatory Information			
CEPA DSL/NDSL Status:	All components are listed on or are exempt from listing on the Domestic Substances List. Non-controlled		
WHMIS hazard class:	NON-CONTROLLER		

This material safety data sheet contains changes from the previous version in sections: New Material Safety Data Sheet format.

Prepared by:

C.J. Michaels, Senior Health & Regulatory Affairs Specialist

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Loctite Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Loctite Corporation has no control. It is the user's responsibility to determine the suitability of Henkel Loctite's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Loctite Corporation's products. In light of the foregoing, Henkel Loctite Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Loctite Corporation's products. Henkel Loctite Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.